

**ADDENDUM NO. 1**

**(April 6, 2018)**

**PROJECT MANUAL & CONTRACT DOCUMENTS  
FWC FBIP MARGARY NEAL NELSON SUNRISE PARK, PHASE IV  
FWC FBIP CONTRACT NO. 15077  
CITY OF CRESCENT CITY, FLORIDA  
MITTAUER & ASSOCIATES, INC. PROJECT NO. 9318-56-1**

---

**SPECIFICATIONS:**

**SECTION 06110 - PIER CONSTRUCTION:**

1. Revise Paragraph 2.01(C) as follows:
  - “C. Wood Deck Members: The wood decking shall be number 1 grade southern yellow pine of the size shown on the Drawings. The deck shall be pressure treated with a minimum treatment of 0.4 Alkaline Copper Quat (ACQ) in accordance with AWPA UC3B, STDS.”
  
2. Add Paragraph 2.01(D) as follows:
  - “D. Composite Deck Materials shall be TimberTech, MoistureShield, or approved equal.”

**DRAWINGS:**

**SHEET NO. 8 - ACCESS AND BOARDING PIER PLAN & PROFILE:**

Revise note on ACCESS PIER & TERMINAL DOCKING FACILITY PROFILE detail as follows:

“6' WIDE PT WOOD ACCESS PIER. TOP HANDRAILS AND DECKING:  
SEE SPECIFICATION SECTION 06110.2.01(D). FOR REQUIREMENTS.”

**END OF ADDENDUM NO. 1**